



# Calcasieu Parish Sheriff's Office

TONY MANCUSO, SHERIFF AND EX-OFFICIO TAX COLLECTOR

Parish of Calcasieu • 5400 E. Broad Street • Lake Charles, LA 70615  
Phone (337) 491-3700 • Fax (337) 494-4522

## QUOTE REQUEST

Individual Requesting Quote: <u>Dana Dawkins</u>	Project Name: <u>John Scott Doyle (004-003)</u>
Quote Due Date & Time: <u>September 14, 2021 2:00 PM</u>	Project Director: <u>Dana Dawkins</u>
Date of Request: <u>August 13, 2021</u>	Project Start Date: _____
Department: _____	Project Completion Date: _____
Phone Number: <u>904-832-3097</u>	Grant Name & #: <u>N/A</u>

All responses to this quote solicitation must be completed using this form and must be transmitted using one of the three delivery options below:

1. Physical Delivery: Purchasing Department – 5400 E Broad St, Lake Charles, LA 70615

**ALL OTHER TRANSMISSIONS WILL NOT BE ACCEPTED OR HONORED.**

The Calcasieu Parish Sheriff's Office is requesting detailed, itemized, written quotes for the following scope of work/project: **John Scott Doyle (004-003)**

Scope of work/Project Description: **See Attached**

Specific insurance  will be required  will not be required for the completion of the scope of work/project above. If specific insurance will be required, please see attached insurance requirements.

A separate contract  will be required  will not be required prior to completion of the scope of work/project above. If separate contract is not required, this quote request will become the contract.

Any public works contract (as defined by **LA R.S. 38:2211(12)**) which is greater than **\$25,000** requires a **100% payment and performance bond**. Any quotes greater than or equal to the following shall be delivered in a sealed envelope to Purchasing with an applicable Louisiana Contractor's License number printed on the outside of the envelope: **\$50,000** for public works; **\$10,000** for electrical and mechanical; and **\$1** for hazardous materials.

**Vendor's Price Quote Excluding Taxes:** \$ \_\_\_\_\_ If requested, the Calcasieu Parish Sheriff's Office will provide a tax-exempt certificate. Quotes must be inclusive of all costs (material, labor, installation, FOB destination, freight prepaid & allowed, any rentals, fees if required, etc).

Quote effective from: \_\_\_\_\_ to \_\_\_\_\_

Quote submitted by: \_\_\_\_\_  
Company Name

Company Phone Number: \_\_\_\_\_ Fax Number: \_\_\_\_\_

\_\_\_\_\_  
Signature of Person Submitting Quote

\_\_\_\_\_  
Name Printed

**Exhibit A – John Scott Doyle (Asset #004-003)**

1. Scope of Work/Specifications – Attached
2. Insurance Requirements – Attached
3. Site visit to confirm scope/specifications – Attached
4. Start Date: September 20, 2021
5. Price to include disposal of materials. Dumpster cost and disposal fees to be included in price.
6. The contractor shall submit a work schedule that includes milestone dates and the date of substantial completion no later than 4:30 pm September 17, 2021.
7. Samples and products are to be approved by the owner.

## SUMMARY OF WORK

### A. Project Summary:

Calcasieu Parish Sheriff's Office  
5400 Broad St.

### JOHN SCOTT DOYLE (ASSET (004-003))

**CEILING TILE, CARPET SQUARES, AND TRIM SPECIFICATIONS LISTED BELOW**

### DESCRIPTION

<b>STORAGE AREA/ROOM</b>	<b>QUANTITY</b>
1 Mask/Tape floor per SF-Plastic and tape	1498.06 SF
2 Mask & prep for paint-plastic/paper/tape-4 mil-PER LF	190.77 LF
3 Remove & replace 5/8" gypsum bd./fiber reinforced/abuse resistant	2887.05 SF
4 Batt insulation-4"-R15-paper/foil faced	1065.00 SF
5 Seal/Prime paint walls(2 coats)	1065.00 SF
6 Patch/Repair Spray Insulation	
<b>DOORS</b>	
7 Remove & replace roll up door & hardware 12'x18'-18 GA	1.00 EA
8 Remove & replace steel door and hollow metal frame-3'-7" (Hallway into Storage Area/Room) 1 1/2 Fire rating	1.00 EA
9 Detach & reset door lockset ext. (All (3) doors for Storage Area /Room (for painting)	3.00 EA
10 Paint door trim frame-2 coats	6.00 EA
11 Paint door slab only-2 coats	6.00 EA
<b>STORAGE CLOSET</b>	
12 Mask & prep for paint-plastic/paper/tape-4 mil	7.03 SF
13 Mask & prep for paint-plastic/paper/tape-4 mil-PER LF	18.00 LF
14 Remove & replace 5/8" gypsum bd./fiber reinforced/abuse resistant	107.43 SF
15 Batt insulation-4"-R15-paper/foil faced	107.43 SF
16 Seal/Prime paint walls(2 coats)	107.43 SF
17 Paint finish (1 coat)	107.43 SF
18 Clean concrete floor	16.00 SF
<b>STORAGE CLOSET DOOR</b>	
19 Remove & replace steel door frame 6' opening	1.00 EA
20 Remove & replace bifold door set-luan/mahogany-double	1.00 EA
21 Paint door/window trim & jamb-2 coats per side	2.00 EA
22 Remove and replace outlets and covers- electrical fixtures -4-gang outlet boxes	2.00 EA
<b>ENTRY/FOYER</b>	
23 Clean floor strip & wax	23.33 SF
24 Remove & replace vinyl transition strip	3.00 LF

## SUMMARY OF WORK

### MEN'S ROOM

25 Clean floor tile 125.00 SF

### WOMEN'S ROOM

26 Clean floor tile 121.00 SF

### KITCHEN

27 Clean suspended ceiling grid 1.00 EA  
28 Remove & replace batt insulation-10"-R30-unfaced batt 1.00 EA  
29 Remove & replace suspended ceiling tile-high grade-2'x2' 176.86 SF  
30 Remove & replace ceiling diffusers/grills-square lay in 1.00 EA

### HALLWAY

31 Clean suspended ceiling grid 531.20 SF  
32 Remove & replace batt insulation-10"-R30-unfaced batt 531.20 SF  
33 Remove & replace suspended ceiling tile-high grade-2'x2' 531.20 SF  
34 Remove glue down carpet 531.20 SF  
35 Floor prep (scrape rubber back residue) 531.20 SF  
36 Replace glue down carpet-heavy traffic 531.20 SF  
37 Remove & replace cove base moulding-rubber or vinyl-4" 223.75 LF

### HALL CLOSET

No work

### REPAIR OFFICE

38 Clean suspended ceiling grid 92.00 SF  
39 Remove & replace batt insulation-10"-R30-unfaced batt 92.00 SF  
40 Remove & replace suspended ceiling tile-high grade-2'x2' 92.00 SF

### HVAC

41 Clean floor 20.72 SF  
42 Clean suspended ceiling grid 20.72 SF  
43 Remove & replace batt insulation-10"-R30-unfaced batt 20.72 SF  
44 Furnace-Heavy clean/replace filters/service-with AC 1.00 EA

### OFFICE 1

45 Clean suspended ceiling grid 179.00 SF  
46 Remove & replace batt insulation-10"-R30-unfaced batt 179.00 SF  
47 Remove & replace suspended ceiling tile-high grade-2'x2' 179.00 SF

### OFFICE 1 CLOSET

48 Clean suspended ceiling grid 27.89 SF  
49 Remove & replace batt insulation-10"-R30-unfaced batt 27.89 SF

### LOBBY

50 Clean suspended ceiling grid 150.22 SF  
51 Remove & replace batt insulation-10"-R30-unfaced batt 150.22 SF  
52 Remove & replace suspended ceiling tile-high grade-2'x2' 150.22 SF  
53 Clean floor strip & wax 150.22 SF  
54 Remove & replace vinyl transition strip 3.00 SF

## SUMMARY OF WORK

### OFFICE 2

55 Clean suspended ceiling grid	107.00 SF
56 Remove & replace batt insulation-10"-R30-unfaced batt	107.00 SF
57 Remove & replace suspended ceiling tile-high grade-2'x2'	107.00 SF

### OFFICE 3

58 Clean suspended ceiling grid	93.17 SF
59 Remove & replace batt insulation-10"-R30-unfaced batt	93.17 SF
60 Remove & replace suspended ceiling tile-high grade-2'x2'	93.17 SF

### OFFICE 4

61 Floor prep (scrape rubber back residue)	101.06 SF
62 Replace glue down carpet-heavy traffic	101.06 SF
63 Remove & replace cove base moulding-rubber or vinyl-4"	40.50 LF

### OFFICE 5

64 Floor prep (scrape rubber back residue)	98.22 SF
65 Replace glue down carpet-heavy traffic	98.22 SF
66 Remove & replace cove base moulding-rubber or vinyl-4"	40.00 SF

### OFFICE 6

67 Floor prep (scrape rubber back residue)	163.58 SF
68 Replace glue down carpet-heavy traffic	163.58 SF
69 Remove & replace cove base moulding-rubber or vinyl-4"	51.24 LF

### OFFICE 7

70 Floor prep (scrape rubber back residue)	143.54 SF
71 Remove & replace batt insulation-10"-R30-unfaced batt	143.54 SF
72 Replace glue down carpet-heavy traffic	143.54 SF
73 Remove & replace cove base moulding-rubber or vinyl-4"	47.92 LF

### OFFICE 8

74 Clean suspended ceiling grid	94.05 SF
75 Remove & replace batt insulation-10"-R30-unfaced batt	94.06 SF
76 Remove & replace suspended ceiling tile-high grade-2'x2'	94.06 SF
77 Floor prep (scrape rubber back residue)	94.06 SF
78 Replace glue down carpet-heavy traffic	94.06 SF
79 Remove & replace cove base moulding-rubber or vinyl-4"	39.21 LF

### OFFICE 9

80 Floor prep (scrape rubber back residue)	91.70 SF
81 Replace glue down carpet-heavy traffic	91.70 SF
82 Remove & replace cove base moulding-rubber or vinyl-4"	38.79 LF

### OFFICE 10

83 Floor prep (scrape rubber back residue)	88.89 SF
84 Replace glue down carpet-heavy traffic	88.89 SF
85 Remove & replace cove base moulding-rubber or vinyl-4"	38.29 LF

## SUMMARY OF WORK

### OFFICE 11

86 Clean suspended ceiling grid	88.38 SF
87 Remove & replace batt insulation-10"-R30-unfaced batt	88.38 SF
88 Remove & replace suspended ceiling tile-high grade-2'x2'	88.38 SF
89 Floor prep (scrape rubber back residue)	88.38 SF
90 Replace glue down carpet-heavy traffic	88.38 SF
91 Remove & replace cove base moulding-rubber or vinyl-4"	37.83 SF

### OFFICE 12

92 Floor prep (scrape rubber back residue)	88.38 SF
93 Replace glue down carpet-heavy traffic	88.38 SF
94 Remove & replace cove base moulding-rubber or vinyl-4"	37.83 SF

### OFFICE 13

95 Mask/Tape floor per SF-Plastic and tape	84.07 SF
96 Mask & prep for paint-plastic/paper/tape-4 mil-PER LF	36.68 LF
97 Remove & replace batt insulation-10"-R30-unfaced batt	84.07 SF
98 Remove & replace suspended ceiling tile-high grade-2'x2'	84.07 SF
99 Remove & replace flourescent-acoustical grid fixture-2'x4'	2.00 EA
100 Remove & replace ceiling diffusers/grills-square lay in	1.00 EA
101 Remove & replace 5/8" drywall-hung, taped ready for texture	84.07 SF
102 Batt insulation-4"-R15-paper faced	84.07 SF
103 Seal/ prime/paint drywall (2 coats)	20.00 SF
104 Paint the ceiling (1 coat)	84.07 SF
105 Floor prep (scrape rubber back residue)	84.07 SF
106 Replace glue down carpet-heavy traffic	84.07 SF
107 Remove & replace cove base moulding-rubber or vinyl-4"	36.68 LF
108 Remove and replace wood door slab w/side lite (Premium door) (Detach and re-set all door hardware)	1.00 EA
109 Remove and replace aluminum storefront window (2'-6"x 4'-0")	1.00 EA

### OFFICE 14

110 Mask/Tape floor per SF-Plastic and tape	90.68 SF
111 Mask & prep for paint-plastic/paper/tape-4 mil-PER LF	38.15 LF
112 Remove & replace batt insulation-10"-R30-unfaced batt	90.68 SF
113 Remove & replace suspended ceiling grid-2'X2"	90.68 SF
114 Remove & replace suspended ceiling tile-high grade-2'x2'	90.68 SF
115 Remove & replace flourescent-acoustical grid fixture-2'x4'	2.00 EA
116 Remove & replace ceiling diffusers/grills-square lay in	1.00 EA
117 Remove & replace 5/8" drywall-hung, taped ready for texture	90.68 SF
118 Batt insulation-4"-R15-paper faced	90.68 SF
119 Seal/ prime/paint drywall (2 coats)	20.00 SF
120 Paint the ceiling (1 coat)	90.68 SF
121 Floor prep (scrape rubber back residue)	90.68 SF
122 Replace glue down carpet-heavy traffic	90.68 SF
123 Remove & replace cove base moulding-rubber or vinyl-4"	38.15 LF
124 Remove and replace wood door slab w/side lite (Premium door) (Detach and re-set all door hardware)	1.00 EA
125 Remove and replace aluminum storefront window (2'-6"x 4'-0")	1.00 EA

## SUMMARY OF WORK

<b>BREAKFAST AREA/ROOM</b>	
126 Clean floor strip & wax	68.25 SF
<b>MECHANICAL ROOM</b>	
127 Clean concrete floor	89.53 SF
<b>MEN'S ROOM</b>	
128 Clean floor-tile	55.73 SF
<b>MEN'S SHOWER 2</b>	
129 Clean floor-tile	60.29 SF
<b>WOMEN'S ROOM</b>	
130 Clean floor-tile	56.26 SF
<b>WOMEN'S SHOWER</b>	
131 Clean floor-tile	58.58 SF
<b>EXTERIOR</b>	
132 Power wash building	
<b>EXTERIOR NORTH WALL</b>	
133 Remove metal trim at roll up door (North wall-Storage area/room)	84.00 LF
134 Remove temporary wood framing and plywood to construct new cold formed steel framed ext. wall 12'x18' at prev. roll up door location	216.00 SF
135 Install metal wall panels at previous roll up door location	216.00 SF
136 Remove and replace flag pole and foundation	1.00 EA
<b>EXTERIOR SOUTH WALL</b>	
137 Remove and replace doorway awning	1.00 EA


### Trim: Tarkett Traditional Wall Base 40 Black B



**Carpet Tiles – Pentz, Revival, 7043T, 2213 Stimulus**



**Armstrong 861 Ceilin Tile**





## SUMMARY OF WORK

- A. Particular project requirements: No disruption to normal operations of occupants, if occupied.
- B. Permits: Apply for, obtain, and pay for permits required to perform the work. Submit copies to Owner.
- C. Codes: Comply with applicable codes and regulations of authorities having jurisdiction. Submit copies of inspection reports, notices and similar communications to Owner.
- D. Dimensions/Plans: Contractor is responsible to field verify all dimensions, locations and penetrations.
- E. Existing Conditions: Notify Owner of existing conditions differing from those indicated on the drawings. Do not remove or alter structural components without prior written approval.
- F. Definition for terms used in the Specifications:
  - 1. Provide: Furnish and install, complete with all necessary accessories, ready for intended use. Pay for all related costs.
  - 2. R&R: Remove and Replace.
  - 3. Approved: Acceptance of item submitted for approval. Not a limitation or release for compliance with the Contract Documents or regulatory requirements. Refer to limitations of "Approved" in General and Supplementary Conditions.
  - 4. Match Existing: Match existing as acceptable to the Owner.
  - 5. Intent: Drawings and Specifications are intended to provide the basis for proper completion of the work suitable for the intended use of the Owner. Anything not expressly set forth, but which is reasonable implied or necessary for proper performance of the project shall be included.
  - 6. Writing Style: Specifications are written in the imperative mode. Except where specifically intended otherwise, the subject of all imperative statements is the Contractor. For example, "Provide tile" means Contractor shall provide tile.

**PART 2 - PRODUCTS** - Not applicable to this Section.

**PART 3 - EXECUTION** - Not applicable to this Section.

**END OF SECTION**

**Calcasieu Parish Sheriff's – Insurance Requirements**  
**For Projects Twenty-Five Thousand and Greater**

Where applicable, **any Contractor, Subcontractor, Consultant, Architect, Engineer, Other Professional or Vendor (hereinafter referred to as Contractor collectively)**, who performs services for the Owner in the amount of twenty-five thousand dollars or greater shall maintain the following insurance coverage with insurance companies acceptable to the Owner. Those insurance companies must be rated in die current A.M. Best Rating Guide with an A-VII rating or better. In the event that insurance requirements are included elsewhere within any other procurement documents, the requirements contained within this article shall supersede any such reference.

In connection therewith, the Contractor agrees to provide to the Owner, at the Contractor's expense and prior to any entry on the Owner's property, proof of liability insurance coverage set forth. The Contractor agrees to furnish to the Owner certificates evidencing said insurance coverage for the full terms of this agreement which certificates shall name the Owner as an Additional Insured on all policies except workers compensation and professional liability policies. The Additional Insured endorsement specific to General Liability coverage shall include both on-going and completed operations coverage. The additional insured endorsements shall be at least as broad as the *Insurance Services Offices forms CG 20 10 and CG 20 37, 07/04* edition forms, through the period of repose. All policies except for professional liability policies, shall include a Waiver of Subrogation in favor of the Owner and shall be evidenced on the certificate. Notice of cancellation shall be provided in accordance with policy cancellation provisions. Insurance provided shall be primary and non-contributory.

The Contractor agrees to maintain the coverage limits and endorsements as listed herein. The Contractor's obligation to provide the required insurance will not be waived by the Contractor's failure to provide the certificate of insurance, the Owner's acceptance of a certificate of insurance showing coverage varying from the required coverage, or the Owner's allowance to commence work.

No work shall commence under any contract until the following insurance coverage is obtained by the Contractor:

(1) Worker's Compensation

(a) Standard Louisiana Coverage (Always Required)- Worker's Compensation Coverage:

- (i) Should cover all employees, including owners, (ii) must be statutory for medical and indemnity and (iii) should have a minimum limit for employer's liability of:

Employer's Liability -	\$1,000,000 per accident
	\$1,000,000 each employee – disease
	\$1,000,000 policy limit – disease

(b) USL & H or Jones Act Coverage (depending on the body of water)

Required       Not Required

When specifically required by the Owner (as denoted with an "X" in the above "Required" box), the Contractor shall procure and maintain during the life of this contract Worker's

Compensation specifically covering maritime activities. The scope of the project will determine whether maritime insurance is required but if the project is going to be performed over any body of water then this separate coverage should be obtained.

(2) Contractor's Liability Insurance (Always Required)

The term Contractor refers collectively, where applicable, to any Contractor, Subcontractor, Consultant, Architect, Engineer or Vendor performing services for the Owner.

(a) Comprehensive General Liability ("Claims Made Policies" may not be used)

\$1,000,000 per occurrence  
\$2,000,000 general aggregate (Q Limit applies to specific project^] Limit applies to policy)  
\$1,000,000 products / completed operations aggregate \$1,000,000 personal injury and advertising coverage

Sub Comprehensive General Liability

Any Sub Contractors utilized will be  Required  Not Required to maintain the above comprehensive general liability policy limits.

(b) Automobile Liability (Owner, Non-Owned, and Hired Car)

\$1,000,000 per occurrence

Sub Automobile liability

Any Sub Contractors utilized on the project will be  Required  Not Required to maintain the above automobile liability policy limit

(c) Umbrella Policy

Unless specifically excluded for project specific reasons, the Contractor shall procure and Maintain during the life of this contract an Umbrella Policy as follows:

\$5,000,000 each occurrence  Coverage Specifically Excluded for this Project  
\$5,000,000 general aggregate

(3) Owner's Contractor Protective Liability Policy (OCP Policy)

Required  Not Required

When specifically required by the Owner (as denoted with an "X" in the above "Required" box), The Contractor shall procure and maintain during the life of this contract an Owner's Contractor Protective Liability Policy (OCP) in a minimum amount of \$1,000,000 (per occurrence) and

\$2,000,000 (general aggregate). This type of policy provides the Owner with separate coverage up to the above limits as opposed to shared coverage when the Owner is only named as an additional insured on the Contractor's main policy.

**(4) Property Insurance (Builder's Risk Insurance)**

Required       Not Required

When specifically required by the Owner (as denoted with an "X" in the above "Required" box), the Contractor shall purchase and maintain property insurance covering the work site up to the full insurable value equal to the Contract sum and the insurance shall be endorsed to comply with any waiver of rights provisions. The property insurance shall be "All Risks Builder's Risk Completed Value Form" insurance or equivalent manuscript policy, and shall include without limitation, insurance against all perils.

The property insurance shall also contain an endorsement or specific provision to cover damages, losses and expenses incurred in the repair or replacement of any insured property (including, but not limited to charges of engineers, architects, attorneys and others). The Property insurance also shall include by endorsement or special provision the following additional coverage elections: operational testing (if risk is present), off premises storage not on the site or in transit and property in transit. When required, no work may commence on the site until the Builder's Risk Insurance is obtained.

The Contractor is to provide Builder's Risk Insurance to protect the Owner, Architect, Engineer, Contractor, and any Subcontractors as to any interests that may exist. Until acceptance of work by the Owner, all work in connection with a particular contract is in the custody, charge and care of the Contractor who will take every necessary precaution against injury or damage to any part thereof whether arising from execution or from the non-execution of the work.

Contractor shall be responsible for payment of the deductible for Builder's Risk Insurance or any other property coverage deemed required to be purchased for this Contract, whether acquired by the owner or otherwise.

**(5) Errors & Omissions Policy (Professional Liability Insurance)**

(Applicable Only to Professional Services Contracts including, but not limited to, Architect, Engineer, Consultant or Other Professional Contracts)

Required       Not Required

This policy covers negligent acts, errors and omissions in its performance of professional Services with minimum policy limits of \$1,000,000 per claim and \$1,000,000 general aggregate.

## Section B – Other Insurance Requirements

### (1) Additional Insured Classification and Waiver of Subrogation (Always Required)

The Owner must be listed as an additional insured on all policies except for worker's compensation and professional liability insurance policies. All policies will provide notice of cancellation in accordance with policy provisions. Waiver of subrogation will be given to the Owner on all policies which means that the Contractor's insurer(s) will have no right of recovery or subrogation against the Owner.

Except for professional liability insurance, it is the intention of the parties that the insurance policy shall protect both parties and be the PRIMARY AND NON CONTRIBUTORY COVERAGE for any and all losses covered. Again all policies required above shall be primary to any insurance carried by the Owner. The insurance companies shall have no recourse against the Owner for payment of any premiums or for assessments under any of the above policies.

### (2) Indemnification for all Contractors, Except for Architects, Engineers or Other Licensed Professionals (Always Required)

The Contractor will indemnify, defend, and hold harmless the owner, including the owner's employees and agents, from and against any and all claims or liabilities, arising from the fault of the Contractor, its employees, subcontractors or agents in carrying out the Contractor's duties and obligations under the terms of this agreement. This section will survive the termination of any agreement. In the event that either party takes any action to enforce this mutual indemnity provision, the prevailing party shall be entitled to recover reasonable attorney's fees and costs arising as a result thereof.

### (3) Indemnification for Architects, Engineers or Other Licensed Professionals (Always Required)

The Contractor will indemnify and hold harmless the owner, including the owner's employees and agents, from and against any and all claims or liabilities, arising from the fault of the Contractor, its employees, subcontractors or agents in carrying out the Contractor's duties and obligations under the terms of this agreement. This section will survive the termination of any agreement. In the event that either party takes any action to enforce this mutual indemnity provision, the prevailing party shall be entitled to recover reasonable attorney's fees and costs arising as a result thereof.

**CPSO John Scott Doyle (Asset #004-003)**

August 19, 2021 10:00 AM and September 2, 2021 10:00 AM

Site Visit to Confirm Scope/Specifications

Ken Lyons Construction Coordinator 337-417-0927 [klyons@cmtslc.com](mailto:klyons@cmtslc.com)

\*if not available\*

Dana Dawkins Construction Manager 904-832-3097 [ddawkins@cmtslc.com](mailto:ddawkins@cmtslc.com)